


www.perspex.co.uk

5

www.perspex.co.uk

COLOUR SELECTOR

PERSPEX

Distribution Ltd



PICK A COLOUR, ANY COLOUR

Perspex® acrylic is synonymous with creativity and eye-catching designs from promotional displays to engineering components.

Stocking hundreds of colour variants, Perspex Distribution has been the go to company for materials for over 20 years.

The beauty of Perspex® cast acrylic is the flexibility to enjoy a multitude of colours, effects, thicknesses and finishes. No matter what colour you choose, each sheet will retain all of the exceptional quality performance characteristics of Perspex® acrylic, ensuring your designs can reach their full potential. As part of the UK manufacturing group of Perspex® Cast Acrylic, we offer unrivalled access to the UK's largest range of cast acrylic. Its versatility enables it to be bent, polished, cut, printed or illuminated to create the ideal finish.

Perspex® acrylic has been manufactured in the UK for over 85 years and this expertise includes our in-house colour experts, on hand to develop new colours and effects. Our product range not only follows technical innovation but we also track colour trends and fashions to develop new stocked colours.



Light Transmission % Based on 3mm thickness.
T within product code denotes Constant Light Transmission.

Product information is subject to change. All colours shown are as accurate as the printing process will allow. We recommend that where an accurate colour sample is needed before placing an order for Perspex® acrylic, that you obtain a Perspex® acrylic sample. If you would like to order a sample of any of the colours shown here, you can now do this via our website at www.perspex.co.uk.

BESPOKE COLOUR CREATION

Due to its unique manufacturing process, it is possible to create bespoke colours and effects in small volumes making unique projects achievable.

Many projects require a specific colour scheme, whether matching a pantone colour for a brand or looking to match a colour palette of a new range of products, versatility and variety are the key.

Our in-house colour laboratory is home to an ever growing library of colours; whatever shade you are looking for, our colour technologists are available to brand-match or create new and bespoke hues, tailored to your individual project requirements.



Image: Inplas Fabrication - Smith and Sinclair



Image: Inplas Fabrication - Eleven Australia



Colour: Clear
Code: 000
Dimensions(mm): 3050 x 2030
Thickness (mm): 0-50
Light Transmission (%): 92



Colour: Opal
Code: 028
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 4, 5, 6
Light Transmission (%): 25



Colour: Opal
Code: 030
Dimensions(mm): 3050 x 2030
Thickness (mm): 3-15
Light Transmission (%): 67



Colour: Opal
Code: 040
Dimensions(mm): 3050 x 2030
Thickness (mm): 3-10
Light Transmission (%): 46



Colour: Opal
Code: 050
Dimensions(mm): 3050 x 2030
Thickness (mm): 3-10
Light Transmission (%): 36



Colour: Opal
Code: 069
Dimensions(mm): 3050 x 2030
Thickness (mm): 3-15
Light Transmission (%): 9



Colour: Opal
Code: 1212
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): <1




Colour: Opal
Code: 1T04
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 30




Colour: Opal
Code: 1T67
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 21



Colour: Ivory
Code: 133
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 29



Colour: Yellow
Code: 229
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 19



Colour: Yellow
Code: 260
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 19



Colour: Yellow
Code: 261
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 29



Colour: Yellow
Code: 2252
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 21



Colour: Orange
Code: 363
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 4



Colour: Red
Code: 431
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 3



Colour: Red
Code: 433
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 2



Colour: Red
Code: 440
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 3



Colour: Red
Code: 4403
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 8



Colour: Red
Code: 4415
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 6



Colour: Red
Code: 4494
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): <1



Colour: Brown
Code: 543
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Green
Code: 650
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 3



Colour: Green
Code: 692
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 21



Colour: Green
Code: 6205
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 7



Colour: Green
Code: 6643
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 2



Colour: Green
Code: 6T81
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 15



Colour: Blue
Code: 727
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 5



Colour: Blue
Code: 743
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 4



Colour: Blue
Code: 744
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): <1




Colour: Blue
Code: 750
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 2




Colour: Blue
Code: 751
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 2



Colour: Blue
Code: 7033
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 8



Colour: Violet
Code: 886
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 4



Colour: Grey
Code: 9640
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): <1



Colour: Grey
Code: 9981
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 8



Colour: Black
Code: 962
Dimensions(mm): 3050 x 2030
Thickness (mm): 3 - 15
Light Transmission (%): 0
*Infrared Transmitting



Colour: Black
Code: 9T30
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5, 6, 8
Light Transmission (%): 0



Colour: Yellow
Code: 2202
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 86



Colour: Amber
Code: 300
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 38




Colour: Red
Code: 4401
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 8




Colour: Brown
Code: 504
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 53



Colour: Green
Code: 6600
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 14



Colour: Glass-Look
Code: 6T21
Dimensions(mm): 3050 x 2030
Thickness (mm): 3-10
Light Transmission (%): 90



Colour: Blue
Code: 7703
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 8



Colour: Blue
Code: 7704
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 83



Colour: Neutral
Code: 901
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 61

PERSPEX® TRANSPARENT COLOURS AND TINTS



Colour: Neutral
Code: 914
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 55



Colour: Neutral
Code: 923
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 14



Colour: Neutral
Code: 9T13
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5, 6, 8
Light Transmission (%): 54



Colour: Neutral
Code: 9T20
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5, 6, 8
Light Transmission (%): 36



Colour: Neutral
Code: 9T21
Dimensions(mm): 3050 x 2030
Thickness (mm): 6 - 15
Light Transmission (%): 41



Colour: Neutral
Code: 9T56
Dimensions(mm): 3050 x 2030
Thickness (mm): 6, 8, 10, 12
Light Transmission (%): 46



Colour: Crystal Clear
Code: S2 000
Dimensions(mm): 3050 x 2030
Thickness (mm): 3 - 15
Light Transmission (%): 85



Colour: Polar White
Code: S2 030
Dimensions(mm): 3050 x 2030
Thickness (mm): 3 - 15
Light Transmission (%): 60



Colour: Citrus Yellow
Code: S2 2T07
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 75



Colour: Lemon Sorbet
Code: S2 2T30
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 34



Colour: Saffron Yellow
Code: S2 2T53
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 63



Colour: Mandarin Orange
Code: S2 3T17
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 33

PERSPEX® FROST

PERSPEX® TEXTURES

MTO = Made to Order Product. Please contact us for availability or minimum order requirements.

PERSPEX® FROST



Colour: Blush Pink
Code: S2 4T46
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 45



Colour: Chilli Red
Code: S2 4T50
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 17



Colour: Raspberry Red
Code: S2 4T97
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 29



Colour: Sandstone Brown
Code: S2 5T18
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 54



Colour: Earth Brown
Code: S2 5T33
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 10



Colour: Glacier Green
Code: S2 6T21
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5, 8, 10
Light Transmission (%): 82



Colour: Emerald Green
Code: S2 6T59
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 13



Colour: Lime Zest
Code: S2 6T9A
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 42



Colour: Azure Blue
Code: S2 7T1F
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 32



Colour: Sapphire Blue
Code: S2 7T28
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 8



Colour: Aurora Violet
Code: S2 7T58
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 36



Colour: Electric Blue
Code: S2 7T69
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 64

PERSPEX® FROST



Colour: Arctic Blue
Code: S2 7T77
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 68



Colour: Violet Heather
Code: S2 8T14
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 62



Colour: Perfect Plum
Code: S2 8T15
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 20



Colour: Stone Grey
Code: S2 9T21
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 38



Colour: Slate Grey
Code: S2 9T23
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 13

PERSPEX® SATIN



Colour: Clear
Code: SA 000
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5, 10
Light Transmission (%): 91



Colour: Opal / White
Code: SA 040
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 44



Colour: Opal
Code: SA 050
Dimensions (mm): 3050x2030
Thickness (mm) 3, 5
Light Transmission (%): 35%

PERSPEX® IMPRESSIONS



Colour: Clear
Code: P1 000
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 88



Colour: Opal
Code: P1 030
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 43




Colour: Red
Code: P1 4T18
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 13

PERSPEX® IMPRESSIONS



Colour: Brown
Code: P1 5T23
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 27



Colour: Glass Look
Code: P1 6T21
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 86



Colour: Green
Code: P1 6T5C
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 55



Colour: Violet
Code: P1 8T23
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 15



Colour: Grey
Code: P1 9T1D
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 25




Colour: Black
Code: P1 9T21
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 0


PERSPEX® NATURALS



Colour: Moonlight White
Code: S2 1T41
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 0




Colour: Desert Beige
Code: S2 5268
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Walnut Brown
Code: S2 5269
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 0



Colour: Ash Grey
Code: S2 9642
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 0



Colour: Midnight Black
Code: S2 9221
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5, 10
Light Transmission (%): 0



Colour: Mineral Grey
Code: S2 9643
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 0



Colour: Lemon Bonbon
Code: SA 2170
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Orange Fizz
Code: SA 3143
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Raspberry Sherbet
Code: SA 4274
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Spearmint Green
Code: SA 6382
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Candy Floss Blue
Code: SA 7489
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0




Colour: Bubblegum Blue
Code: SA 7490
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Parma Violet
Code: SA 7562
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Sour Grape
Code: SA 7563
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Coral Candy
Code: SA 4287
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0



Colour: Clear
Code: PY 0000
Dimensions(mm): 2000 x 1200
Thickness (mm): 3
Light Transmission (%): 84



Colour: Celestial Blue
Code: 021
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 92



Colour: Helios Yellow
Code: 2T88
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 76



Colour: Lava Orange
Code: 3T19
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 27




Colour: Mars Red
Code: 4T56
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 12




Colour: Acid Green
Code: 6T66
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 86




Colour: Neptune Blue
Code: 7T97
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 74




Colour: Fiesta Yellow
Code: 2T80
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 56



Colour: Carnival Orange
Code: 3T56
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 29



Colour: Flamenco Pink
Code: 4T5F
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 22



Colour: Luau Green
Code: 6T2H
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 43



Colour: Tropical Yellow
Code: 2T45
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 91



Colour: Caribbean Peach
Code: 3T31
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 88



Colour: Honolulu Pink
Code: 4T87
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 84



Colour: Lagoon Green
Code: 6T95
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 89




Colour: Cascade Blue
Code: 7T5D
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 86



Colour: Passion Flower Violet
Code: 8T10
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 85



Colour: Moscow White
Code: 1T80
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 91



Colour: Tokyo Brown
Code: 5T48
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 84



Colour: London Grey
Code: 9T3C
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 88



Colour: Manhattan Black
Code: 9T4C
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 80



Colour: King Henry Red
Code: SK 4PY2
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): <1



Colour: Queen Marie Gold
Code: SK 5PY8
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): <1



Colour: Queen Isabella Green
Code: SK 6PY0
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): <1



Colour: Queen Elizabeth Blue
Code: SK 7PY0
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): <1



Colour: King George Purple
Code: SK 8PY0
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): <1



Colour: King Louis Silver
Code: SK 9PY5
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): <1



Colour: Pearl
Code: 1PY1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 20



Colour: Candy
Code: 4PY5
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 6



Colour: Caramel Gold
Code: 5PY0
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 2



Colour: Azure
Code: 7PY3
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 8



Colour: Platinum
Code: 9PY2
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 10

PERSPEX® SPARKLE



Colour: Entrancing Green
Code: 6SP0
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 0



Colour: Gleaming Violet
Code: 8SP0
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 0



Colour: Shimmering Black
Code: 9SP0
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 0

PERSPEX® DUO



Colour: Gold
Code: 5YY8
Dimensions(mm): 2030 x 1270
Thickness (mm): 3
Light Transmission (%): 0



Colour: Silver
Code: 9YY2
Dimensions(mm): 2030 x 1270
Thickness (mm): 3
Light Transmission (%): 0

PERSPEX® CORAL



Colour: Black / Silver
Code: 9CLO
Dimensions(mm): 3050 x 2030
Thickness (mm): 10
Light Transmission (%): 0

Go Green with Perspex Distribution

PERSPEX
Distribution Ltd
www.perspex.co.uk



www.perspex.co.uk/go-green

Download our GO GREEN brochure and see our extensive range of recycled materials ideal for Signage, POS and general fabrication.

Working closely with our manufacturers, we have increased the availability of **recycled** products in our range.



PERSPEX®re 100% Recycled Cast Acrylic
A new PERSPEX® acrylic range made from 100% recycled MMA available in 4 standard colours.



Extruded Acrylic
Up to **90%** recycled clear extruded acrylic ideal for POS applications made from waste acrylic.



Alupanel Aluminium Composite
With over **80%** recycled content. The only UK manufactured ACM.

Contact us for samples and pricing www.perspex.co.uk/go-green



Colour: Clear
Code: E03B
Dimensions(mm): 2550 x 1800
Thickness (mm): 4, 5, 6
Light Transmission (%): 90




Colour: Clear
Code: E06B
Dimensions(mm): 2550 x 1800
Thickness (mm): 4, 5, 6
Light Transmission (%): 90




Colour: Clear
Code: E09B
Dimensions(mm): 2550 x 1800
Thickness (mm): 4
Light Transmission (%): 90



Colour: Clear
Code: E12B
Dimensions(mm): 2550 x 1800
Thickness (mm): 4
Light Transmission (%): 90




Colour: Opal
Code: D2 DF60
Dimensions(mm): 3050 x 2030
Thickness (mm): 2.5
Light Transmission (%): 60



Colour: Opal
Code: D2 DF70
Dimensions(mm): 3050 x 2030
Thickness (mm): 2.5
Light Transmission (%): 70



Colour: Opal
Code: D2 DF80
Dimensions(mm): 3050 x 2030
Thickness (mm): 2, 2.5
Light Transmission (%): 80



Colour: Opal
Code: D2 DF90
Dimensions(mm): 3050 x 2030
Thickness (mm): 2.5
Light Transmission (%): 90



Colour: Opal
Code: 1T8A
Dimensions(mm): 3050 x 2030
Thickness (mm): 2.5
Light Transmission (%): 4



Colour: G-Lux
Code: G005
Dimensions(mm): 3050 x 2030
Thickness (mm): 4
Light Transmission (%): 89




Colour: G-Lux
Code: G015
Dimensions(mm): 3050 x 2030
Thickness (mm): 6
Light Transmission (%): 90



Colour: G-Lux
Code: G025
Dimensions(mm): 3050 x 2030
Thickness (mm): 6
Light Transmission (%): 89



Colour: G-Lux
Code: G035
Dimensions(mm): 3050 x 2030
Thickness (mm): 8
Light Transmission (%): 89




Colour: S-Lux
Code: SL 000
Dimensions(mm): 3050 x 2030
Thickness (mm): 8, 10
Light Transmission (%): 89




Colour: Opal
Code: 1TL1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 36



Colour: Opal
Code: 1TL2
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 5
Light Transmission (%): 48



Colour: Yellow
Code: 2TL1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 22



Colour: Yellow
Code: 2TL2
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 30



Colour: Orange
Code: 3TL1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 13



Colour: Pink
Code: 4TL1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 8



Colour: Red
Code: 4TL2
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 5



Colour: Red
Code: 4TL3
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 6



Colour: Green
Code: 6TL1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 15



Colour: Green
Code: 6TL2
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 13




Colour: Blue
Code: 7TL1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 6



Colour: Opal / White
Code: 1T77
Dimensions(mm): 3030 x 2030
Thickness (mm): 10, 15, 20, 30
Light Transmission (%): 35



Colour: Black / White
Code: SA 9T25
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 16



Colour: Black / Multicolour
Code: SA 9TL1
Dimensions(mm): 3050 x 2030
Thickness (mm): 3
Light Transmission (%): 17



Colour: Clear
Code: VA 004
Dimensions(mm): 3050 x 2030
Thickness (mm): 3, 4, 5
Light Transmission (%): 92



Colour: Clear
Code: VE 003
Dimensions(mm): 3050 x 2030
Thickness (mm): MTO
Light Transmission (%): 92

PERSPEX® METALLICS

Our selection of Perspex® Metallic colours offer alternatives to metal with the fabrication benefits of cast acrylic. Please contact your local branch for stock availability. Standard sheet size 2030 x 1540 3mm.



ALUMINIUM 9870



ANTIQUÉ GOLD 9625



GOLD 9918



PEARL 9809



TITANIUM 9874



COPPER 9627



THERE'S MORE


We stock a large range of alternative coloured materials to create stunning vibrant projects.

ALUPANEL® ALUMINIUM COMPOSITE

Manufactured in the UK's only Aluminium Composite factory, Alupanel® provides a versatile solution for signage and display projects. Consisting of a polyethylene core and aluminium skin, this rigid substrate provides the perfect background for any print job. Alupanel® is stocked in a wide range of colours with a dual sided gloss/matt finish for versatile display options.


Alupanel colours are available in a 3mm thickness and sheet sizes 2440mm x 1200mm & 3050mm x 1500mm.

ALUPANEL® COLOURS




TRAFFIC GREY 7042 ULTRAMARINE BLUE 5002 YELLOW 1023

ALUPANEL® BRUSHED METAL




BRUSHED ALUMINIUM BRUSHED BLACK BRUSHED BRONZE BRUSHED COPPER



BRUSHED GOLD BRUSHED STEEL

ALUPANEL® MIRROR



GOLD MIRROR SILVER MIRROR

PALIGHT® PVC FOAM



We stock UK manufactured Palight® PVC Foam made by Palram. Our sheets are flat, lightweight and available in thicknesses from 1mm to 25mm. We stock Palight® in a wide range of special designer colours, plus standard white matt or gloss finishes. All products are Class 1 fire rated and ideal for internal installations.

Palight colours are available in a 3mm or 5mm thickness and generally a 2440 x 1220 sheet size.

PALIGHT MATT COLOURS



PALIGHT WHITE



PALIGHT GREY



PALIGHT GREEN



PALIGHT BLUE



PALIGHT YELLOW




PALIGHT RED




PALIGHT BLACK

PALIGHT 2001 GLOSS COLOURS



PALIGHT 2001 BLACK



PALIGHT 2001 WHITE

PLASKOLITE ACRYLIC MIRROR

Fabback coloured acrylic mirror sheet from Plaskolite.

At half the weight and five times the impact strength of plate glass mirror, acrylic mirror offers all the benefits without the associated risk of breakages. Made from extruded acrylic sheet, each mirror is protected by the industry's toughest, most durable backing.

All coloured acrylic mirror is covered by a protective laser cuttable film.

Standard sheet sizes 2440mm x 1220mm, 3mm thickness. Colour options are subject to change, please contact your local branch for availability.



FABBACK MIRROR BLUE 1000



FABBACK MIRROR BLUE 2069



FABBACK MIRROR BLUE 2424



FABBACK MIRROR BRONZE 1600



FABBACK MIRROR BRONZE 2404



FABBACK MIRROR GOLD 1300




FABBACK MIRROR GREEN 2414




FABBACK MIRROR ORANGE 1119



FABBACK MIRROR PINK 1450



FABBACK MIRROR RED 1310



FABBACK MIRROR RED 1400



FABBACK MIRROR SMOKE 1050



FABBACK MIRROR SMOKE 2064



FABBACK MIRROR YELLOW 2208



FABBACK SILVER PMMA



FABBACK MIRROR ROSE GOLD 1350



FABBACK SEE-THROUGH CLEAR



Image: London Design Festival Pavilion using Alupanel colour and mirror designed by 2MZ.

Visit www.perspex.co.uk to request samples of our materials or to find our more information.

Your nearest Perspex Distribution Sales Branch:

BLACKBURN

Email: sales.blackburn@perspex.co.uk
Tel: 01254 272 800

CHELMSFORD

Email: sales.chelmsford@perspex.co.uk
Tel: 01245 232 800

LEEDS

Email: sales.leeds@perspex.co.uk
Tel: 01134 677 800

TAMWORTH

Email: sales.tamworth@perspex.co.uk
Tel: 01827 263 900

WEYBRIDGE

Email: sales.veybridge@perspex.co.uk
Tel: 01932 356 900